



## HEAVY DUTY TRIPOD & SKIDS

### TRIPOD Type 408

Of all-metal construction, this tripod has been developed to support the heavier type of television cameras. Extreme simplicity and great strength are features of the design.

The basis of the design is a robust platform casting to which are attached three telescopic leg members in heavy gauge duralumin tubing. Each leg terminates in a foot which may be instantly reversed to present either a rubber or steel point as required. Large clamping handles are fitted to provide positive locking of the legs.

#### SIZES

Maximum height ..... 54 in (137 cm) approx.

Minimum height ..... 31 in (78 cm) approx.

Note: These dimensions refer to a leg spread of 43 in (109cm).

Overall size (for transit) 12 in (30.5 cm) dia x 32 in (81 cm)

WEIGHT ..... 29.5 lb (13.4 kg)

### FIXED SKID Type 412

The Skid, which can be supplied separately, forms a convenient and smooth-running vehicle for the Heavy Duty Tripod. Manufactured in heavy gauge alloy tubing and castings, it is fitted with rubber-tyred castor wheels and foot-actuated immobilizing jacks. A spring-lock is fitted to each corner of the skid to anchor the tripod in position.

#### SIZES

Dimensions each side ..... 50 in (127 cm)

Maximum overall height ..... 14.75 in (37 cm)

WEIGHT ..... 66 lb (30 kg)

### COLLAPSIBLE SKID Type 555

This skid is to the same specification as the above, except that it can be quickly dismantled into six assemblies to facilitate transit. Packing size (for transit) 16 in (41 cm) × 12 in (31cm) × 39 in (99 cm).